

BRA-10

UHF Far-Field RFID Antenna

FEATURES

- Designed for Indoor applications
- Low profile patch Antenna
- Weather and UV resistant radome
- Wide range of connector and cable options
- 6 dBic Peak Gain, Circular polarized



PRODUCTS

Part No.	Weight	Dimensions (LxWx H)	Connector	Color
BRA-10	0.73kg	301 × 301 × 8.5mm	SMA-K	Black

SPECIFICATIONS

PARAMETER	SPECIFICATION	
Frequency Bands, MHz	902-928	865-868
VSWR (Max)	1.3:1	1.3:1
Peak Gain, dBic(Typ)	Up to 6.0	
Nominal Impedance	50 Ω	
Max Power (ambient temp of 25°C)	10 Watts	
Azimuth Beam Width (deg)	50° x 50°	
Polarization	Circular	
Storage Temperature Range (°C)	-40°C~+ 85°C	
Operational Temperature Range (°C)	-40°C~+ 85°C	
Material Substance Compliance	REACH/RoHS Compliant	
HSCODE	8517707090	
USHSCODE	8517620010	
UPC		


ELECTRICAL DATA

MyAntenna RF Technology Co., Ltd

ADD: No.RM 405, R3-A Building, Shenzhen High-Tech Park, Nanshan, Shenzhen, P.R. China.

TEL: +86-0755-86503881 FAX: +86-0755-27801677 E-mail: nfc@myantenna.com

Return Loss



HOUSING CONFIGURATIONS

